

to life

safety system in order to install and operate the equipment properly.

To that end, SSAS and Facilities & Operations have partnered to implement a Facility Impact Review Process for certain equipment purchases to decrease risk and identify any potential facility impact of these equipment purchases. This collaboration between SSAS, Operations and Maintenance (O&M), Design and Construction (D&C) and Construction and Facilities Strategic Acquisitions proactively communicates customer needs to the appropriate departments, while ensuring safety standards and building codes are upheld.

Purchase requisitions submitted to procure an item listed below will be reviewed by O&M and D&C in a parallel work process. The review process will identify any additional facility improvements needed to accommodate the request. If additional work is needed, the requestor, SSAS, and the appropriate school or building manager will be notified of the facility improvements needed to accommodate the equipment requested. The communication will include options for proceeding with the installation and/or placement of the item being purchased.

If you have any questions about the facility impact of a potential purchase, email
DL-OMFacilityProjects@umaryland.edu

Equipment list:

- x Centrifuge
- x Mass Spec
- x Microscope
- x Washer
- x Dryer
- x Minus 80 freezer
- x Multiple freezers in same space
- x Walk-in freezer
- x Polishers for DI water systems
- x Incubators that require CO2 lines
- x Electron microscopes that require a chiller/come with chiller
- x MRI or any other equipment with magnets
- x Ceiling or Wall mounted monitors/lights/etc.
- x AV equipment depending on size and mounting
- x Furnish and install contracts
- x Furniture to assembly, power/data connections, office dividers
- x Animal Cages
- x Sterilizers
- x Copy machine
- x Computer server
- x Cabinetry
- x Casework for lab
- x Fume hood
- x Outdoor Tents